








Table of lubricant grades

Pos.	Designation of lubricants Viscosity in Centistokes (cST)	Temperature range in °C				
1	Multipurpose Ball-Bearing Grease	-25°/ +120°	Energrease LS - EP 2	GR MU/EP 2	Litea EP 2 6-077	Beacon Ep 2
2	Transmission Grease	-15°/ +100°	Energrease PR - EP 00	GR SLL	Litea 00 6-109	Fibrax EP 370
3	Gear Oil 135 - 165 cST at 40 °C	-22°/ +100°	Energol GR - XP 150	Blasia 150	Mipress 150 11-311	Spartan EP 150
4	Gear Oil 198 - 242 cST at 40 °C	-17°/ +130°	Energol GR - XP 220	Blasia 220	Mipress 220 11-318	Spartan EP 220
5	Hypogear Oil 80 - 150 cST at 40 °C	-25°/ +120°	Hypogear EP 80W-90	Rotra HY/DB 80W	Topress 80W-90 11-111	GX 80W-90
6	Hypogear Oil 170 - 210 cST at 40 °C	-16°/ +130°	Energear Hypo EP 90	Rotra MP/DB 85W-90	Topress 85W-90 11-118	GX-D 85W-90
7	Gear Oil 25 - 40 cST at 40 °C	-40°/ +130°	Autran MBX	ATF D 309	ATF DB Universal 16-175	ATF D-21611

Pos.	Designation of lubricants Viscosity in Centistokes (cST)	Temperature range in °C				
1	Multipurpose Ball-Bearing Grease	-25°/ +120°	Mobilux EP 2	Universal Motorex 190 EP	Alvania EP (LF) 2	Multilube EP - 2
2	Transmission Grease	-15°/ +100°	Mobilux EP 023	Motorex 174	Alvania GC 00	Semi Fluid Grease 00
3	Gear Oil 135 - 165 cST at 40 °C	-22°/ +100°	Mobilgear 629	Gear Compound Plus 150	Omala 150	EPG 150
4	Gear Oil 198 - 242 cST at 40 °C	-17°/ +130°	Mobilgear 630	Gear Compound Plus 220	Omala 220	EPG 220
5	Hypogear Oil 80 - 150 cST at 40 °C	-25°/ +120°	Mobilube HD 80W-90	Gear Oil Universal SAE 80W-90	Spirax A 80W-90	Dura Blend GL-5 75W/90
6	Hypogear Oil 170 - 210 cST at 40 °C	-16°/ +130°	Mobilube HD 85W-90-A	Gear Oil Universal SAE 90	Spirax MB 90	-
7	Gear Oil 25 - 40 cST at 40 °C	-40°/ +130°	ATF 220	ATF Dexron III MC	Donax TA	ATF Type D